

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|------------------|
| L1 | 2 | "20060190518" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/20 15:10 |
| L2 | 33 | (hartvig.in. and ekner.in.) or (morten.in. and stribaek.in.) or (soeren.in. and laursen.in.) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/20 15:13 |
| L3 | 5 | 2 and multiplier\$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/20 15:20 |
| L4 | 297 | (arithmetic adj multiplication) and (polynomial multiplication) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/20 15:20 |
| L5 | 8 | (arithmetic adj multiplication) and (polynomial adj multiplication) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/20 15:24 |
| L6 | 626 | "708"/\$.ccls. and @ad<"20010221" and polynomial and (multiplier\$1 or multiplication) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/20 15:24 |
| L7 | 18 | wallace and 6 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/20 15:29 |
| L8 | 36 | (carry adj propagat\$3) and 6 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/20 15:30 |

EAST Search History

| | | | | | | |
|----|-------|--|---|----|----|------------------|
| S1 | 3 | "6199088" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/20 15:01 |
| S2 | 2 | "6199088".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/02 17:39 |
| S3 | 18144 | "708"/\$.ccls. and @ad<"20010221" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/02 17:39 |
| S4 | 755 | (multiplier\$1 or multiplication or multiplying) and polynomial and (permutation or permut\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/02 17:40 |
| S5 | 53 | S3 and S4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/02 17:55 |
| S6 | 335 | multiplier\$1 and permutation and polynomial | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/02 17:55 |
| S7 | 318 | S6 and select\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/02 17:56 |
| S8 | 318 | (multiplier\$1 or multiplication or multiplying) and S7 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/02 17:56 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S9 | 111 | ((multiplier\$1 or multiplication or multiplying).ti. or (multiplier\$1 or multiplication or multiplying).clm. or (multiplier\$1 or multiplication or multiplying).ab.) and S7 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/02 17:56 |
| S10 | 53 | (multiplexer\$1 or multiplexor\$1 or multiplexing) and S9 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/02 17:57 |
| S11 | 80 | ("0172254" "4491910" "4511990" "4949250" "5185713" "5517438" "5537562" "5669010" "5673407" "5726927" "5734874" "5740340" "5752071" "5778241" "5781457" "5784602" "5790827" "5791781" "5793661" "5809212" "5822606" "5838984" "5864703" "5867682" "5880984" "5936872" "5953241" "5960012" "0571892" "6026420" "6035316" "6058465" "6078941" "6088783" "6128726" "6199087" "6233597" "6295599" "6349318" "6523054").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 15:34 |
| S12 | 173 | multiplier\$1 and polynomial\$1 and binary and permutation and (mux or multiplex\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 15:42 |
| S13 | 109 | S12 and @ad<"20010221" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 15:43 |
| S14 | 0 | S11 and S13 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 15:43 |
| S15 | 0 | S11 and S12 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 15:43 |

EAST Search History

| | | | | | | |
|-----|-------|---|---|----|----|------------------|
| S16 | 11 | S13 and "708"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 15:46 |
| S17 | 34 | "708"/\$.ccls. and @ad<"20010221" and permutation and multiplier\$1 and polynomial\$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 16:10 |
| S18 | 23 | S17 not S16 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 16:10 |
| S19 | 86 | "708"/\$.ccls. and @ad<"20010221" and multiplier\$1 and array and permutat\$5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 16:11 |
| S20 | 0 | S19 and S11 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 16:11 |
| S21 | 0 | S20 and polynomial\$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 16:11 |
| S22 | 14 | S19 and polynomial\$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/27 13:43 |
| S23 | 18183 | "708"/\$.ccls. and @ad<"20010221" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/27 13:43 |

EAST Search History

| | | | | | | |
|-----|----|--|---|----|----|------------------|
| S24 | 29 | S23 and multiplier\$1 and polynomial\$1 and permutat\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/27 15:09 |
|-----|----|--|---|----|----|------------------|

Google

Web Images Video News Maps more »

(arithmetic multiplication) and (polynomial mult

Search

[Advanced Search](#)
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 1 - 10 of about 702,000 for (arithmetic multiplication) and (polynomial multiplication). (0.16 seconds)

Nussbaumer polynomial multiplication

Next message: Nussbaumer **polynomial multiplication**; Messages sorted by: [date ...
under centrinia/design/base/N/medium/arithmetic/multiplication/Nussbaumer ...
www.swox.com/list-archives/gmp-discuss/2004-May/001135.html - 4k -

[Cached](#) - [Similar pages](#)**Nussbaumer polynomial multiplication**

Previous message: Nussbaumer **polynomial multiplication**; Next message: Hash
functions; Messages sorted ... the last chapter is on fast arithmetic algorithms. ...
www.swox.com/list-archives/gmp-discuss/2004-May/001137.html - 5k -

[Cached](#) - [Similar pages](#)**[PDF] Dual-mode VLSI array for polynomial multiplication using residue ...**

File Format: PDF/Adobe Acrobat

tion utilizing the residue arithmetic philo- ... **polynomial multiplication** modulo ... tion,
an algorithm for **polynomial** multiplica- ...

ieeexplore.ieee.org/iel2/804/3643/00132467.pdf?arnumber=132467 - [Similar pages](#)**[PDF] Finite Field Polynomial Multiplication in the Frequency Domain ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)

field arithmetic operations is crucial. **Multiplication** of finite field ... mains are not
considered, frequency domain **polynomial multiplication** (without ...

ece.wpi.edu/~sunar/preprints/ISCIS2006_fftmul.pdf - [Similar pages](#)**[PDF] DRAFT: Polynomial Multiplication: Blocking to Improve Cache ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)

How can we speed up sparse **polynomial multiplication**? In these experi- ... If we had
started by modeling dense **polynomial arithmetic**, we would have explored ...

www.wisdom.weizmann.ac.il/~rgradwoh/files/blockingz.pdf - [Similar pages](#)**Practical fast polynomial multiplication**

The "fast" **polynomial multiplication** algorithms for dense univariate polynomials ... 10

Johnson S.C.: Sparse **Polynomial Arithmetic**; Proc EuroSam 74 Conf, ...portal.acm.org/citation.cfm?id=806332 - [Similar pages](#)**A Sorting Algorithm for Polynomial Multiplication**

3 HOROWITZ, E A sortingalgorithm for **polynomial multiplication** Proe of ... 4 JOHNSON,
S. C Sparse **polynomial arithmetic**. Proc of the Euro SAM Conf., ...

portal.acm.org/citation.cfm?id=321908&coll=portal&dl=ACM - [Similar pages](#)

[More results from portal.acm.org]

[PDF] Finite Field Polynomial Multiplication in the Frequency Domain ...File Format: PDF/Adobe Acrobat - [View as HTML](#)

Similar approaches on doing arithmetic over domains where **multiplication** has only ...
method for finite field **polynomial multiplication** by using the Number ...

users.wpi.edu/~selcuk/DFTmodMult.pdf - [Similar pages](#)**[PDF] Achieving Efficient Polynomial Multiplication in Fermat Fields ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)

Hence efficient implementation. of finite field arithmetic operations is desired. The classical.
polynomial multiplication method has quadratic complex- ...

users.wpi.edu/~selcuk/FFT_ACMSE2006.pdf - [Similar pages](#)**Connelly - Technical: FFT polynomial multiplication**

Fast polynomial multiplication. It's easier than you might think: ... The NTT does it in exact integer **arithmetic**, or you can round the floating point ...
barnesc.blogspot.com/2005/11/fft-polynomial-multiplication.html - 22k -
[Cached](#) - [Similar pages](#)

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

(arithmetic multiplication) and (polyn

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google